

Amendments to the Claims

1-11. (Cancelled)

12. (Currently amended) A quickly disintegrating solid preparation comprising a) an active ingredient, b) a saccharide or sugar alcohol with a mean particle diameter of 30 μm to 300 μm , c) a disintegrating agent, and d) a cellulose compound, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of lactose, D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol, ~~and~~ the disintegrating agent is one or more disintegrating agents selected from the group consisting of carmellose calcium, carboxymethylstarch sodium, croscarmellose sodium, and crospovidone, and the active ingredient is selected from the group consisting of voglibose, candesartan cilexetil and pioglitazone hydrochloride.

13. (Currently amended) A quickly disintegrating solid preparation comprising a) an active ingredient, b) a saccharide or sugar alcohol with a mean particle diameter of 30 μm to 300 μm , c) a disintegrating agent, and d) a cellulose compound, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of lactose, D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol, ~~and~~ the cellulose compound is one or more cellulose compounds selected from the group consisting of crystalline cellulose, powder cellulose, low substituted hydroxypropylcellulose, and carmellose, and the active ingredient is selected from the group consisting of voglibose, candesartan cilexetil and pioglitazone hydrochloride.

14-32. (Cancelled)

33. (Currently amended) A quickly disintegrating solid preparation comprising a) an active ingredient, b) a saccharide or sugar alcohol with a mean particle diameter of 30 µm to 300 µm, c) a disintegrating agent, and d) a cellulose compound, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of lactose, D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol, and the active ingredient is selected from the group consisting of ~~manidipine hydrochloride~~, voglibose, candesartan cilexetil and pioglitazone hydrochloride.

34. (Previously presented) A quickly disintegrating solid preparation according to claim 12, wherein the mean particle diameter of the saccharide or sugar alcohol is between 35 to 200 µm.

35. (Previously presented) A quickly disintegrating solid preparation according to claim 13, wherein the mean particle diameter of the saccharide or sugar alcohol is between 35 to 200 µm.

36. (Previously presented) A quickly disintegrating solid preparation according to claim 33, wherein the mean particle diameter of the saccharide or sugar alcohol is between 35 to 200 µm.

37. (Previously presented) The quickly disintegrating solid preparation according to claim 12, wherein the sugar alcohol is pulverized.

38. (Previously presented) The quickly disintegrating solid preparation according to claim 13, wherein the sugar alcohol is pulverized.

39. (Previously presented) The quickly disintegrating solid preparation according to claim 33, wherein the sugar alcohol is pulverized.

40. (New) A quickly disintegrating solid preparation according to claim 12, wherein the mean particle diameter of the saccharide or sugar alcohol is between 43 to 300 μm .

41. (New) A quickly disintegrating solid preparation according to claim 13, wherein the mean particle diameter of the saccharide or sugar alcohol is between 43 to 300 μm .

42. (New) A quickly disintegrating solid preparation according to claim 33, wherein the mean particle diameter of the saccharide or sugar alcohol is between 43 to 300 μm .

43. (New) A quickly disintegrating solid preparation according to claim 12, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol.

44. (New) A quickly disintegrating solid preparation according to claim 13, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol.

45. (New) A quickly disintegrating solid preparation according to claim 33, wherein the saccharide or sugar alcohol is one or more saccharides and sugar alcohols selected from the group consisting of D-mannitol, trehalose, erythritol, xylitol, maltitol, and sorbitol.